

EPICS Lecture @ KEK

MEDM

Takashi Nakamoto June 25th, 2013

Based on presentation by Kenneth Evans, Jr., APS

MEDM Overview

- MEDM stands for <u>Motif Editor and Display Manager</u>
- It is a graphical user interface (GUI) for designing and implementing control screens, also called displays
- It is a mature program
 - Robust
 - Powerful
 - Efficient
- Tens of thousands of screens have been designed for MEDM
- It is used worldwide at many sites
- It is the primary means by which operators and engineers control the APS and its subsystems
 - And most of the experiments




It is what you see in the Control Room






... or on the TV monitors





Example MEDM Screens



• And thousands of others



History

- It is an APS product
- Started by Mark Anderson in 1990
 - Responsible for the look and feel, much of the implementation
 - Based on DM and EDD written at Los Alamos
 - Choose Motif for a more impressive interface
- Taken over by Fred Vong from Fall 1994 to Winter 1996
 - Improved the performance under load
 - Rewrote the Strip Chart
 - Many of his improvements were unfinished when he left
- Taken over by Ken Evans in 1996
 - Concentrated on robustness, stability
 - Added most of the Editing features (Undo, Align, etc.)
 - Made Composite object be dynamic
 - Added animated GIFs, many other features



MEDM Design Philosophy

- Performance, robustness, and maintainability come first
 - KISS [Keep It Simple Stupid] tends to work well
- Features are important but feature bloat is incommensurate with robustness and maintainability
- MEDM tries to strike a balance
 - Robustness and maintainability come first
- MEDM tries to enable, not restrict, the user
 - You are responsible for not shooting yourself in the foot
- Extensibility is best added with additional applications
 - ADT is a good example
 - As are all the Tcl/Tk apps at the APS
 - If these crash or use resources, they do not affect MEDM
 - MEDM can do the few things it does rapidly and efficiently
 - This philosophy has worked out well at the APS



More Information

- There is far more to MEDM than can be covered in this presentation
- The main source of information is the MEDM Reference Manual
 - Can be accessed from the Help Menu
 - Uses your browser to display HTML help
 - Netscape on UNIX may take a long time to come up
 - Also available as a Word document, Postscript, and PDF
- There is an MEDM web page
 - <u>http://www.aps.anl.gov/epics/extensions/medm/index.php</u>
 - Has the Reference Manual and tar files of recent versions
 - Can be found from the EPICS home page

http://www.aps.anl.gov/epics/index.php


• MEDM for Windows is in the EPICS WIN32 Extensions

- See the MEDM web page



MEDM Virtual Linac Screen

• The Virtual Linac MEDM screen is a good example to explore



Flash Demos

- The demos in this presentation use Flash
- It is already installed on most computers
- If you do not see the demos, you do not have the Flash Player
- If you have trouble with the Flash demos, particularly advancing them, you probably have Flash Player 6
 - Right click on a Flash demo to see the version
 - You want Flash Player 7 or above
 - The advance arrow at the bottom left of the slide usually works with either
- You can get or update the Flash Player via the link at:
 - http://macromedia.com
 - It is a Plug-in for Netscape/Mozilla and an ActiveX Control for IE
 - You need the IE version for PowerPoint
 - (Use IE to visit the link)



MEDM Main Window and Overview




MEDM Objects



Graphics	Monitors	Controllers	Special
Arc	Bar Monitor	Choice Button	Composite
Image	Byte Monitor	Menu	Display
Line	Cartesian Plot	Message Button	
Oval	Meter	Related Display	
Polygon	Scale Monitor	Shell Command	
Polyline	Strip Chart	Slider	
Rectangle	Text Monitor	Text Entry	
Text			




Resource Palette





Examples of All MEDM Objects





Editing Features

- Menus are all Tear-Off
- Undo and Redo
- Align
 - Left, Horizontal Center, Right
 - Top, Vertical Center, Bottom
 - Position to Grid
 - Edges to Grid
- Space Evenly
 - Horizontal and Vertical
 - 2-D
- Grid
 - Toggle Show Grid
 - Toggle Snap to Grid
 - Set Grid Spacing

<u>C</u> opy Ct	f I ift+Del B cl+Ins E ift+Ins I ift+Ins I I Uer 2-D	Align Tear-off eft [orizontal Center light [op [ertical Center lottom [osition to Grid [dges to Grid Dace Evenly Tear-off izontal tical Center Tear-off izontally in Display	Size Tear-off Same Size Text to Contents Crid Tear-off Toggle Show Grid Toggle Snap To Grid Grid Spacing Orient Tear-off Flip Horizontally Flip Vertically Rotate Clockwise Rotate Counterclock
Si <u>z</u> e Grid	> <u>V</u> ert	tically in Display	<u>.</u>
U <u>n</u> select <u>S</u> elect All Select Display <u>F</u> ind Outliers Refres <u>h</u> Edit Summar <u>y</u>	========== Btn1 Btn3	Edit Help EDIT Operations Summary reate Hode (Crosshair Cursor Drag to oreate object. Popup edit menu. Popup edit menu. Polet hode (Pointing Hand Cur Select objects. Vertex edit for Polygon and (Shift afterward constrain Add or remove from selected Cycle selection through over Hove objects. Resize objects. Popup edit menu. Hove selected objects. Resize selected objects. Resize selected objects.	= rsor) ===== Polyline. ns direction.) objects.
		OK	




wise

Editing Features

Center

- Horizontally and Vertically in Display
- Both
- Orient
 - Flip Horizontally and Vertically
 - Rotate Clockwise and Counterclockwise
- Size
 - Same Size
 - Text to Contents
- Others
 - Find Outliers
 - Refresh
- Edit Summary (Keyboard and Button Shortcuts)







Fonts


• Fonts in MEDM are somewhat brain dead

- Changing them would trash thousands of existing screens
- MEDM can use either Fixed or Scalable fonts
- Fixed fonts use font aliases for flexibility
 - widgetDM_4, widgetDM_6, ... ,widgetDM_60
 - These can be assigned to any X Windows Font
 - We are stuck with the original APS assignments
- Scalar fonts use one font (your choice) and vary the size
 - Was not available when the APS was started
- For new sites, the defaults can be changed in siteSpecific.h
 - When MEDM is built
- The font size is determined by the height of the text box
 - The text can extend beyond the box horizontally
 - In practice you vary it until it looks right



Default Fixed and Scalable Fonts

• fontTable.adl opened without and with –displayFont scalable






siteSpecific.h

- Many of the MEDM default choices are in siteSpecific.h
 - C language header file
 - Used when MEDM is compiled
- Sites can change these defaults by changing this one file
- Some of the things that can be changed
 - Fixed or Scalable fonts
 - Colors
 - Location of the HTML Reference Manual
 - Printer defaults
 - Others
- Decisions must be made early before many screens are designed



Graphic Objects

• Many effects are created with Graphics objects





Dynamic Attribute

- Applies primarily to Graphics objects
- Objects with a Dynamic Attribute can have their color or visibility change based on process variables or conditions
- Color Mode
 - Object has alarm colors (Green, Yellow, Red, White)
- Visibility Mode
 - Visible only if the process variable is zero or only if not zero
- Visibility Calc Mode
 - Visibility is based on a CALC expression involving up to 4 process variables plus HOPR, LOPR, STAT, SEVR, etc.
- Also applies to the Composite
 - Allows whole sections of the display to appear or disappear
 - Means any object can have a Dynamic Attribute
 - Make it be a Composite with just one member



CALC in MEDM

- Used in two places
- Visibility
 - Used when Visibility mode is set to "calc" and Visibility Calc is defined
 - CALC expression returns True or False
 - The APS Status Display uses this feature
 - With Composites (like the Demo)
- Image Frame Number (Animated GIFs)
 - Used when Image Calc is defined
 - Will just animate otherwise
 - CALC expression returns a frame number
 - Frame numbers start with 0
 - Uses 0 or last frame if out of range






Visibility Demo



MEDM CALC Expression

• Expression involving 16 variables

- A The value of Channel A
- B The value of Channel B
- C The value of Channel C
- D The value of Channel D
- E Reserved
- F Reserved
- G The COUNT of Channel A
- H The HOPR of Channel A
- I The STATUS of Channel A
- J The SEVERITY of Channel A
- K The PRECISION of Channel A
- L The LOPR of Channel A



Examples of MEDM CALC Expressions

- Syntax is the same as for the EPICS CALC record
 - See the Record Reference Manual
- Some True/False Examples (for Visibility)
 - !A Value is zero (Same as "if zero")
 - A Value not zero (Same as 'if not zero")
 - A=12 Value is 12
 - A#12 Value is not 12
 - A<0&&B<0&&C<0 All are negative
 - A>.9*H Beyond 90% of upper limit
 - !J SEVERITY is not zero



- Some Number Examples (for Image Calc)
 - A Frame is value of A
 - A=12 Frame 0 or 1
 - (A+B)*SIN(C) Frame determined by expression


Color Rules Using Animated GIFs

- Make a multi-frame GIF
 - One frame per desired color, One pixel per frame
- Put this GIF under the object you want to have color rules
- Use a CALC expression that rounds off to the frame number
- Example: 3 colors: Green, Yellow, Red
 - **CALC:** (ABS(A)<.8*H)+(ABS(A)<.9*H)
 - **Gives:** Green for |A| up to 0.8*HOPR
 - Yellow for |A| from 0.8*HOPR to 0.9*HOPR Red for |A| greater than 0.9*HOPR






Use SGA to Make and Edit Animated GIFs





Execute Mode

• What's wrong with this screen?



MEDM objects turn white when the connection is lost



Drag and Drop

- You can drag the process variable names from an object
 - Use Mouse Button 2
- The Process variable name appears in its alarm color on black
- Can be dragged to any Motif Drop Site
 - This includes Probe, StripTool, HistTool, and others
- Names now go into the X Clipboard as well
 - Can paste them in the usual places without even dragging
- In practice Button 2 is used as a fast way to see the process variable name





PV Info

- PV Info
 - Gives extensive information about the process variable
- Accessed through the Execute-Mode Menu
 - Right click the display
 - Use the cursor to pick which object

-	PV I	nfo		1	
	PV Infor n 10 15:29:02 accessControll	CST 1999			
RTYP: TYPE: COUNT: ACCESS IOC: i VALUE:	: R ocs1bpm:5064 Unlimited Feb 15, 1999		2833499	99	
STATE	: 4 0: Unlimited 1: Maintenand 2: Studies 3: User Beam	ce			
				N	M
	Close	Hel	9		



PV Limits


- PV Limits
 - Allows you to set the limits for Meters, Sliders, etc
- The user can:
 - Use the values from Channel Access (HOPR, LOPR, PREC)
 - Use the defaults set by the screen designer
 - Set her own values
- The screen designer can:
 - Set it to use Channel Access values for the defaults
 - Set the defaults
- Accessed through the Execute-Mode Menu



PV Limits 🛛 🕫 🗖
S1:C:feedback1SetPt0
Low Limit (LOPR)
Source: Channel 💷
Value: 10
High Limit (HOPR)
Source: User Specified 💷
Value: 5
Precision (PREC)
Source: Default 🖬
Value:
Close Help

Execute Menu

- The Execute Menu is a user-configurable menu that can be added to the right-click menu on displays in Execute Mode
- Specified by the MEDM_EXEC_LIST environment variable
 - If not specifed, it doesn't appear at all
- Example
 - setenv MEDM_EXEC_LIST 'Probe; probe &P &: ADL File; echo &A:PV Name(s); echo &P'
 - Gives the menu shown
 - Selecting the Probe item, for example, will allow you to select an object, then run Probe on its process variable
- See the manual for details





Macros

- Strings of the form \$(name) in an ADL file can be replaced by some other string
 - For example, enter \$(sector):\$(corrector) as part of a PV name
- Replacement is specified:
 - 1. On command line:

```
medm -x -macro "sector=S1A,corrector=H2"
```

- 2. In Related Display configuration:

Resource Palette dialog

- Allows you to design one screen and use it for many similar items
- The Virtual Linac uses \$(user) in front of PV names
 - So different users have their own PV names
 - Look at the startup scripts for MEDM for the Virtual Linac




Related Display

- Brings up a menu of other displays
- As with most MEDM objects there are many options

Related Display Options	\$
1 🤊 🕤 If you Control-Click,	
replaces the current	
item in the menu, the label is Contered and	nere is more than one item in the enu, the label is left justified

Hidden Button Markers

- Related Displays can be hidden under other objects
- Toggle Hidden Button Markers shows where they are





Bar Monitor


Here are some options for the Bar Monitor





Bar Monitor

• The no decorations mode, useful for bar graphs and effects





Strip Chart

 While not as powerful as StripTool, the MEDM Strip Chart has many features, which can be changed on the fly

-	St	rip Chart Data			• 🗆	
Channel	Color	Low Source	Low Limit	High Source	High Limit	
[Xorbit:S1A:H1:CurrentA0		Channel 🖃	<u>)</u> -150,000	Channel 💷	<u>1</u> 50,000	
Xorbit:S1A:H2:CurrentA0		Default 🖃	<u>ĭ</u> 0,000	Channel 🖃		
Xorbit:S1A:H3:CurrentA0		User Specified 🖬 🗍	<u>)</u> -150₊000	Channel 🗖	<u>ĭ</u> 150,000	
Ĭ.	This	dialog comes	s up 🦷	Channel 🖃	<u>1</u> ,00	
Ĭ		V Limits on		Channel 🖬	<u>1.00</u>	
Ĭ		Ite Mode Mer		Channel 🖃	<u>1</u> ,00	
Ĭ.	-	of the usual imits dialog.	PV F	Channel 🖃	<u>1</u> ,00	
Ĭ				Channel 🖃	<u>1</u> ,00	
Period: 160 Units second 🖬						
Apply		Cancel		Help		



Cartesian Plot

- The Cartesian Plot is the most complicated MEDM object
- MEDM provides generic support for different plot packages
- XRT/Graph
 - Most complete implementation is XRT/Graph
 - Commercial product, not available for Windows
 - Requires a license on each machine on which it is built
 - Many features and works well
- SciPlot
 - Public Domain, modified extensively for MEDM
 - Included with MEDM, should work on any platform
 - Currently missing Second Y axis and Fill Under
- JPT
 - Developed at TJNAF
 - Does not support all MEDM Cartesian Plot features



Summary

- MEDM is a full featured, mature, robust program
- It is the principal means by which humans control the system
- This has been an overview of some of the MEDM features
 - There are many more
 - The Reference Manual is the best source of information

